

## Data Center Switch

### Wedge100BF-32QS




The Edgecore DCS801 switch is a Top-of-Rack (TOR) or spine switch for high-performance data centers. In a 1RU form factor, the switch provides line-rate L2 and L3 switching across the 32 x QSFP28 ports, supporting up to 32 x 40/100 GbE connections. The DCS801 can be deployed as a TOR switch supporting 25/50 GbE to servers with 40/50/100 GbE uplinks, or as a spine switch supporting 40/50/100 GbE ToR and spine interconnects. This open network switch is loaded with the Open Network Install Environment (ONIE), which supports the installation of compatible Network Operating System software, including the open source option Open Network Linux and commercial NOS offerings.

### Key Features and Benefits

- Cost-effective, open network switch for data center fabric.
- Designed with programmable Tofino switch silicon from Intel Networks.
- Deploys as Top-of-Rack or Spine switch supporting 25 GbE to servers, with 40 or 50 or 100 GbE uplinks.
- Deploys as spine switch supporting 40, 50, or 100 GbE ToR and spine interconnects.
- 32 x QSFP28 switch ports, each supporting 1 x 100 GbE or 1 x 40 GbE, or via breakout cables 100 GbE to 4 x 25 SGbE or 2 x 50 GbE or 40 GbE to 4 x 10 GbE.
- Layer 2 or Layer 3 forwarding of 6.4 Tbps (full duplex).
- Supports port-to-power airflow SKU.
- All ports on front; PSUs and fans accessible from rear.
- Hot-swappable, load-sharing, redundant AC.
- 5 redundant, hot-swappable fan modules.
- Switch pre-loaded with diagnostics and Open Network Install Environment (ONIE) for automated loading of compatible open source and commercial NOS offerings.
- Compatible with SONiC open source network software.
- Quad-pipe programmable packet processing pipeline for 6.4 Tbps total bandwidth.


Model Number	CPU	ComE
Wedge100BF-32QS	Xeon D-1548 (8 cores), 48GB, 2.0 GHz	Portwell B7000G



## Software Supported



## Interfaces



### Description

1. System LEDs	10. PSU 2
2. 32 x 100G QSFP28 ports	11. Hot-swappable 4 + 1 redundant fans
3. Port indicators	12. RS485 1 (reserved)
4. Debug port (UART)	13. RS485 3 (reserved)
5. Console port	14. RS485 2 (reserved)
6. Management port	15. GPIO 1 (reserved)
7. USB storage port	16. Grounding screw
8. 40/100 breakout mode LEDs	17. PSU 1
9. Product label	

### Ports

- Switch Ports:  
32 x QSFP28 ports. Each Port supports 1 x 40/100 GbE or 4 x 10/25 GbE or 2 x 50 GbE per port using breakout cables
- Management ports on port side:  
1 x RJ-45 serial console  
1 x RJ-45 1G BASE-T management  
1 x USB Type A storage

### Key Components

- Switch Silicon: Intel Tofino BFN-T10-032Q Switch
- CPU Modules:  
Intel x86 Xeon D-1548 8 core  
48GB SI-DIMM  
2TB SSD TLC

### Performance

- Switching Capacity: 6.4 Tbps (full duplex)
- Forwarding Rate: 4.7 Bpps
- Jumbo frames support up to 9216 Bytes
- Packet Buffer Size: 20 MB integrated packet buffer

### Physical and Environmental

- Dimensions (WxDxH):  
440 x 509 x 44 mm (17.32 x 20.03 x 1.73)
- Weight  
10.005 kg (20.05 lb)
- Fans: 5 hot-swappable redundant fans
- Operating Temperature: 0°C to 40°C (32°F to 104°F)
- Storage Temperature: -40°C to 70°C (-40°F to 158°F)
- Operating Humidity: 0% to 95% non-condensing
- Operating Altitude: 0 to 10,000 feet

### Software

- Switch is loaded with Open Network Install Environment (ONIE) software installer
- Compatible with ONL and SONiC software

### LEDs

- QSFP28 Port LEDs: Link Status, Activity, Rate
- Ethernet Management Port LED: Link Status, Activity
- System LEDs: Diagnostic, Locator, PSU and Fan Status

### Power

- PSUs: 2 redundant, load-sharing, hot-swappable AC
- Input Voltage: 90 to 240 VAC at 50-60 Hz

### Regulatory Compliance

- FCC Part 15 Subpart B Class A

### Warranty

Please check [www.edge-core.com](http://www.edge-core.com) for the warranty terms in your country.

### For More Information

To find out more about Edgecore Networks Corporation products and solutions, visit [www.edge-core.com](http://www.edge-core.com).

### About Edgecore Networks Corporation

Edgecore Networks Corporation is in the business of providing innovative network solutions. In the service provider network, in the data center or in the cloud, Edgecore Networks Corporation delivers the software and systems that transform the way the world connects. Edgecore Networks Corporation serves customers and partners worldwide. Additional information can be found at [www.edge-core.com](http://www.edge-core.com).

Edgecore Networks Corporation is a subsidiary of Accton Technology Corporation, the leading network ODM company. The Edgecore data center switches are developed and manufactured by Accton.

To purchase Edgecore Networks solutions, please contact your Edgecore Networks Corporation representatives at +886 3 563 8888 (HQ) or +1 (949)-336-6801 or authorized resellers.

© Copyright 2021 Edgecore Networks Corporation. The information contained herein is subject to change without notice. This document is for informational purposes only and does not set forth any warranty, expressed or implied, concerning any equipment, equipment feature, or service offered by Edgecore Networks Corporation. Edgecore Networks Corporation shall not be liable for technical or editorial errors or omissions contained herein.

## Ordering Information

**Base model: Wedge100BF-32QS; Intel® Xeon® D-1548; 32-Port 100G QSFP28; ONIE software installer.**

Model Number	Product Part No.	PSU	Airflow	Region (power cord)
Wedge100BF-32QS-0-AC-F-JP	F0PEC7632501S	Dual AC PSUs	port-to-power airflow	JP
Wedge100BF-32QS-0-AC-F-CN	F0PEC7632701S	Dual AC PSUs	port-to-power airflow	CN
Wedge100BF-32QS-0-AC-F-US	F0PEC7632401S	Dual AC PSUs	port-to-power airflow	US
Wedge100BF-32QS-0-AC-F-UK	F0PEC7632301S	Dual AC PSUs	port-to-power airflow	UK
Wedge100BF-32QS-0-AC-F-EU	F0PEC7632201S	Dual AC PSUs	port-to-power airflow	EU